The Listing of the Claims:

1. (currently amended) A compound for modulating c-Kit activity according to Formula **I**,



I

or a pharmaceutically acceptable salt, thereof, wherein,

ring A is:

		
		
		
		
		

wherein each Y is independently either =C(H)- or =N-; and Z is selected from -O-, -S-, and -$N(R^7)$-;

each R^1 is independently selected from -H, halogen, trihalomethyl, -CN, -NO_2, -OR^4, -$S(O)_{0-2}R^4$, -$SO_2N(R^4)R^4$, -$C(=O)N(R^4)R^4$, -$C(=NR^5)N(R^4)R^4$, -$C(=NR^5)R^4$, -$N(R^4)SO_2R^4$, -$N(R^4)C(O)R^4$, -NCO_2R^4, -$C(=O)R^4$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl;

two adjacent of R^1, together with the annular atoms to which they are attached, can form a five- to six-membered ring containing up to two heteroatoms and optionally substituted with up to three of R^{10};

L^1 is a single bond;

ring B is <u>phenyl</u> ~~a five- to ten-membered aryl or a five- to ten-membered heterocyclyl~~;

each R^2 is independently selected from -H, halogen, trihalomethyl, -CN, -NO_2, -OR^4, -$N(R^4)R^4$, -$S(O)_{0-2}R^4$, -$SO_2N(R^4)R^4$, -$C(=O)N(R^4)R^4$, -$C(=NR^5)N(R^4)R^4$, -$C(=NR^5)R^4$, -$N(R^4)SO_2R^4$, -$N(R^4)C(O)R^4$, -NCO_2R^4, -$C(=O)R^4$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl;

two adjacent of R^2, together with the annular atoms to which they are attached, can form a five- to six-membered ring containing up to two heteroatoms and optionally substituted with up to three of R^{15};

L^2 is selected from -N(H)N(H)C(=O)N(H)-, -CH_2N(H)C(=O)N(H)-, -CH_2OC(=O)N(H)-, and -XCH_2C(=O)N(H)-; wherein X is selected from -O-, -$S(O)_{0-2}$-, and -$N(R^7)$-; and any C-H of L^2 is optionally C-R^{20};

ring C is phenyl ~~or pyridyl~~;

each R^3 is independently selected from halogen, trihalomethyl, -CN,

$-NO_2$, $-OR^4$, $-N(R^4)R^4$, $-S(O)_{0-2}R^4$, $-SO_2N(R^4)R^4$, $-C(=O)N(R^4)R^4$, $-C(=NR^5)N(R^4)R^4$, $-C(=NR^5)R^4$, $-N(R^4)SO_2R^4$, $-N(R^4)C(O)R^4$, $-NCO_2R^4$, $-C(=O)R^4$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl; provided R^3 is not a cyclic sulfonamide attached to ring C via the nitrogen of said cyclic sulfonamide,

wherein there exists at least one of R^3 that is halogen or trihalomethyl;

~~two adjacent of R^3, together with the annular atoms to which they are attached, can form a five- to six-membered ring containing up to two heteroatoms and optionally substituted with up to three of R^{25};~~

R^4 is selected from -H, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl;

two of R^4, when taken together with a common nitrogen to which they are attached, form an optionally substituted five- to seven-membered heterocyclyl, said optionally substituted five- to seven-membered heterocyclyl optionally containing at least one additional heteroatom selected from N, O, S, and P;

R^5 is selected from -H, -CN, $-NO_2$, $-OR^4$, $-S(O)_{0-2}R^4$, $-CO_2R^4$, optionally substituted C_{1-6}alkyl, optionally substituted C_{1-6}alkenyl, and optionally substituted C_{1-6}alkynyl;

R^7 is selected from -H, optionally substituted C_{1-6}alkyl, $-SO_2N(R^4)R^4$, $-CO_2R^4$, $-C(=O)N(R^4)R^4$, $-C(=NR^5)N(R^4)R^4$, $-C(=NR^5)R^4$, $-C(=O)R^4$, optionally substituted alkoxy, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl; and

each of R^{10}, each of R^{15}, each of R^{20}, and each of R^{25} is independently selected from -H, halogen, trihalomethyl, -CN, $-NO_2$, $-OR^4$, $-N(R^4)R^4$, $-S(O)_{0-2}R^4$, $-SO_2N(R^4)R^4$, $-CO_2R^4$, $-C(=O)N(R^4)R^4$, $-C(=NR^5)N(R^4)R^4$, $-C(=NR^5)R^4$, $-N(R^4)SO_2R^4$, $-N(R^4)C(O)R^4$, $-NCO_2R^4$, $-C(=O)R^4$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl,

optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl;

provided:

~~1) when both ring B and ring C are phenyl:~~

~~a) and the compound comprises ring B $CH_2N(H)C(=O)N(H)$ ring C, then L^1 must be a single bond; R^3 can not comprise a group of the formula $-O(CH_2)_{2-4}$-*N*-piperazine that is *ortho* to L^2; and ring A cannot be a 5-methyl-[1,2,4]-oxadiazol-3-yl radical, a 4H-[1,2,4]-oxadiazol-5-one-3-yl radical, nor a 4'-[2,2';6',2'']terpyridinyl radical;~~

~~b) and L^1 is single bond, then L^2 cannot comprise $-N(H)C(=O)C(=O)N(H)-$ nor $-N(H)C(=Q)C(H)CNC(=O)-$ (where Q is S or O);~~

~~c) and L^1 is other than single bond, then A cannot be quinolin-2-yl L^1, quinolin-3-yl L^1, or quinolin-4-yl L^1;~~

~~2) when ring A is a fused aryl system, then L^1 must be a single bond;~~

~~3) when ring B is phenyl, ring C is a C_{6-16}carbocyclic, L^1 is a single bond, and the compound comprises ring B $OCH_2C(=O)N(H)$ then ring A cannot be a 2,5-dimethyl-1H-pyrrole-1-yl radical;~~

~~4) ring A cannot be a pyrimidin-2-yl radical when L^1 is N(H) and ring B is phenyl;~~

~~5) when the compound comprises the formula,~~



~~where V is =C(H)- or =N-, and there is a nitrogen of L^2 bound directly to ring B, then A can not comprise a [1,2,4]-oxadiazol-3-yl radical~~; and

~~6)~~ the compound is not one of: ~~N-naphthalen-1-yl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[4-(phenyloxy)phenyl]-2-{[3-(1H-tetrazol-1-~~

~~yl)phenyl]oxy}acetamide, N-(3,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-(2,3-dimethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-(2,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-(2,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-(3,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-(2,6-dimethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-N-(2,4,6-~~
~~trimethylphenyl)acetamide, N-(2-ethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-(4-ethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-(2,6-diethylphenyl)-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-[2-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-[2-(ethyloxy)phenyl]-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-[3-(ethyloxy)phenyl]-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-[2,4-bis(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-[4-(dimethylamino)phenyl]-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide,~~ N-(2,3-dichlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(4-chloro-3-methylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(4-bromophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(2-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(4-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-N-[2-(trifluoromethyl)phenyl]acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl] oxy}-N-[3-(trifluoromethyl)phenyl]acetamide, ~~methyl 4-[({[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetyl)amino]benzoate, ethyl 4-[({[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetyl)amino]benzoate, 3-[({[3-(1H-tetrazol-1-yl)phenyl]~~
~~oxy}acetyl)amino]benzoic acid, N-[3-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide, N-[4-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-~~
~~yl)phenyl]oxy}acetamide,~~ N-[2-chloro-5-(trifluoromethyl) phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[4-chloro-3-(trifluoromethyl)phenyl]-2-

{[3-(4H-1,2,4-triazol-4-yl)phenyl]oxy} acetamide or ~~acet-amide,~~ N-(4-chlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, ~~N-(4-aminophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, and N-(4-acetylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~.

2-12. (cancelled)

13. (Currently Amended) The compound according to claim ~~10,~~ 1, wherein there exists at least one of R^3 that is trifluoromethyl.

14. (original) The compound according to claim 13, wherein ring C is a phenyl comprising a trifluoromethyl radical *meta-* to L^2.

15. (currently amended) The compound according to claim 1, ~~claim 10,~~ wherein each of R^3 is independently selected from halogen, trihalomethyl, $-OR^4$, $-C(=O)R^4$, and optionally substituted C_{1-6}alkyl.

16. (currently amended) A compound for modulating c-Kit activity according to the following Formula: ~~II,~~



II

or a pharmaceutically acceptable salt, thereof, wherein,

W is selected from the following:



each of R^{27} independently selected from halogen, trihalomethyl, -CN, $-NO_2$, $-OR^{55}$, $-S(O)_{0-2}R^{55}$, $-SO_2N(R^{55})R^{55}$, $-C(=O)N(R^{55})R^{55}$, $-C(=NR^{50})N(R^{55})R^{55}$, $-C(=NR^{50})R^{55}$, $-N(R^{55})SO_2R^{55}$, $-N(R^{55})C(O)R^{55}$, $-NCO_2R^{55}$, $-C(=O)R^{55}$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl;

each Y is independently either =C(H)- or =N-;

Z is selected from -O-, $-S(O)_{0-2}$-, and $-N(R^7)$-

E and G are each independently selected from -O-, $-S(O)_{0-2}$-, $-C(R^{31})R^{32}$-, and $-N(R^{33})$-;

J_1 and J_2 are each independently =C(H)- or =N-;

R^{26} is independently selected from -H, halogen, trihalomethyl, -CN, $-NO_2$, $-OR^{40}$, $-N(R^{40})R^{40}$, $-S(O)_{0-2}R^{40}$, $-SO_2N(R^{40})R^{40}$, $-CO_2R^{40}$, $-C(=O)N(R^{40})R^{40}$, $-C(=NR^{50})N(R^{40})R^{40}$, $-C(=NR^{50})R^{40}$, $-N(R^{40})SO_2R^{40}$, $-N(R^{40})C(O)R^{40}$, $-NCO_2R^{40}$, $-C(=O)R^{40}$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl;

R^{30} is independently selected from halogen, trihalomethyl, -CN, $-NO_2$, $-OR^{40}$, $-N(R^{40})R^{40}$, $-S(O)_{0-2}R^{40}$, $-SO_2N(R^{40})R^{40}$, $-C(=O)N(R^{40})R^{40}$, $-C(=NR^{50})N(R^{40})R^{40}$, $-C(=NR^{50})R^{40}$, $-N(R^{40})SO_2R^{40}$, $-N(R^{40})C(O)R^{40}$, $-NCO_2R^{40}$, $-C(=O)R^{40}$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl, wherein there exists at least one of R^{30} that is trihalomethyl; ~~or~~

~~two adjacent of R^{26} or two adjacent of R^{30}, together with the annular atoms to which they are attached, can form a five- to six-membered ring containing up to two heteroatoms and optionally substituted with up to three of R^{35};~~

R^{31} and R^{32} are each independently selected from -H, halogen, trihalomethyl, -CN, $-NO_2$, $-OR^{40}$, $-N(R^{40})R^{40}$, $-S(O)_{0-2}R^{40}$, $-SO_2N(R^{40})R^{40}$, $-CO_2R^{40}$, $-C(=O)N(R^{40})R^{40}$, $-C(=NR^{50})N(R^{40})R^{40}$, $-C(=NR^{50})R^{40}$, $-N(R^{40})SO_2R^{40}$, $-N(R^{40})C(O)R^{40}$, $-NCO_2R^{40}$, $-C(=O)R^{40}$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl;

R^{33} is selected from -H, optionally substituted lower alkyl, $-SO_2N(R^{40})R^{40}$, $-CO_2R^{40}$, $-C(=O)N(R^{40})R^{40}$, $-C(=NR^{50})N(R^{40})R^{40}$, $-C(=NR^{50})R^{40}$, $-C(=O)R^{40}$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl;

R^{40} is selected from -H, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl,

and optionally substituted heterocyclyl C_{1-6}alkyl;

two of R^{40}, when taken together with a common nitrogen to which they are attached, form an optionally substituted five- to seven-membered heterocyclyl, said optionally substituted five- to seven-membered heterocyclyl optionally containing at least one additional heteroatom selected from N, O, S, and P;

R^{50} is selected from -H, -CN, $-NO_2$, $-OR^{40}$, $-S(O)_{0-2}R^{40}$, $-CO_2R^{40}$, optionally substituted C_{1-6}alkyl, optionally substituted C_{1-6}alkenyl, and optionally substituted C_{1-6}alkynyl;

R^{55} is selected from -H, optionally substituted C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl; and

two of R^{55}, when taken together with a common nitrogen to which they are attached, form an optionally substituted five- to seven-membered heterocyclyl, said optionally substituted five- to seven-membered heterocyclyl optionally containing at least one additional heteroatom selected from N, O, S, and P.

17. (cancelled)

18. (currently amended) The compound according to claim ~~17~~ 16, wherein R^{30} is selected from halogen, trihalomethyl, $-OR^{40}$, $-N(R^{40})R^{40}$, $-C(=O)R^{40}$, optionally substituted alkoxy, optionally substituted C_{1-6}alkyl, optionally substituted aryl, optionally substituted aryl C_{1-6}alkyl, optionally substituted heterocyclyl, and optionally substituted heterocyclyl C_{1-6}alkyl, wherein there exists at least one of R^{30} that is trifluoromethyl.

19. (cancelled)

20. (cancelled)

21. (cancelled)

22. (cancelled)

23. (withdrawn from consideration, currently amended) The compound according to ~~claim 22,~~ claim 16, wherein E is selected from -O-, $-S(O)_{0-2}$-, and -NH-; and G is $-CH_2$-.

24. (withdrawn from consideration, currently amended) The compound according to ~~claim 22,~~ claim 16, wherein E is either -CH_2- or -NH-; and G is selected from -O-, -S-, and -NH-.

25. (cancelled)

26. (cancelled)

27. (currently amended) ~~The compound according to claim 1, selected from Table 3:~~

A compound selected from the following Table:

~~Table 3~~		
Entry	**Name**	**Structure**
1	N-[5-chloro-2-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
~~2~~	~~N-phenyl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~3~~	~~N-(2-methylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
4	N-(2-chlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
5	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
6	~~ethyl 2-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino]-4,5,6,7-tetrahydro-1-benzothiophene-3-carboxylate~~	
7	N-(3-chloro-2-methylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
8	N-(3-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
9	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(2H-tetrazol-5-yl)phenyl]oxy}acetamide	
10	N-(4-chloro-2-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
11	N-(4-bromo-3-methylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
~~12~~	~~N-(4-morpholin-4-ylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
13	N-[4-fluoro-3-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
14	N-[4-bromo-3-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
15	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
16	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}propanamide	
17	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(5-methyl-1H-tetrazol-1-yl)phenyl]oxy}acetamide	
18	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[2-methyl-5-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
19	N-(4-chlorophenyl)-N-methyl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
20	N-[4-chloro-2-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
~~21~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(2,5-dioxopyrrolidin-1-yl)phenyl]oxy}acetamide~~	
~~22~~	~~(2E)-N-[4-chloro-3-(trifluoromethyl)phenyl]-3-[3-(1H-tetrazol-1-yl)phenyl]prop-2-enamide~~	
23	N-[4-fluoro-3-(trifluoromethyl)phenyl]-2-{[4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
24	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(2-methyl-2H-tetrazol-5-yl)phenyl]oxy}acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
25	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[2,4-dichloro-5-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
26	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]thio}acetamide	
27	N-[4-chloro-3-(trifluoromethyl)phenyl]-N~2~-[3-(1H-tetrazol-1-yl)phenyl]glycinamide	
28	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[2-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
~~29~~	~~methyl 1-{3-[(2-{[4-chloro-3-(trifluoromethyl)phenyl]amino}-2-oxoethyl)oxy]phenyl}-1H-1,2,3-triazole-4-carboxylate~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~30~~	~~1,1-dimethylethyl {4-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino]phenyl}carbamate~~	
~~31~~	~~1,1-dimethylethyl {4-[({[4-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino]phenyl}carbamate~~	
~~32~~	~~N-{4-[(1-ethylpiperidin-4-yl)amino]phenyl}-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~33~~	~~N-{4-[(1-ethylpiperidin-3-yl)amino]phenyl}-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~34~~	~~N-(4-aminophenyl)-2-{[4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~35~~	~~N-{4-[(1-ethylpiperidin-4-yl)amino]phenyl}-2-{[4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~36~~	~~N-{4-[(1-ethylpiperidin-3-yl)amino]phenyl}-2-{[4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
37	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(3-pyridin-4-ylphenyl)oxy]acetamide	
38	N-[4-chloro-3-(trifluoromethyl)phenyl]-N~2~-methyl-N~2~-[3-(1H-tetrazol-1-yl)phenyl]glycinamide	
~~39~~	~~N-1,3-benzothiazol-2-yl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~40~~	~~N-quinolin-8-yl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~41~~	~~N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~42~~	~~N-isoquinolin-5-yl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~43~~	~~N-{3-[(phenylmethyl)oxy]phenyl}-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~44~~	~~N-[5-methyl-2-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~45~~	~~N-[2,5-bis(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~46~~	~~N-(6-fluoro-1,3-benzothiazol-2-yl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~47~~	~~methyl 3-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino]benzoate~~	
~~48~~	~~5-chloro-2-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino]benzamide~~	
49	N-[5-chloro-2,4-bis(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
~~50~~	~~N-[2-(phenyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~51~~	~~N-[3-(aminosulfonyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
52	N-[2-(methyloxy)-5-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
~~53~~	~~N-(4-{[(4-methylphenyl)sulfonyl]amino}phenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~54~~	~~N-(5-phenyl-1H-pyrazol-3-yl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~55~~	~~N-1,3-benzothiazol-2-yl-2-{[4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
~~56~~	~~N-quinolin-8-yl-2-{[4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
57	1,1-dimethylethyl 2-{3-[(2-{[4-chloro-3-(trifluoromethyl)phenyl]amino}-2-oxoethyl)oxy]phenyl}-1H-pyrrole-1-carboxylate	
58	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(1H-pyrrol-2-yl)phenyl]oxy}acetamide	
59	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(3-pyrimidin-5-ylphenyl)oxy]acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
60	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(1H-1,2,3-triazol-1-yl)phenyl]oxy}acetamide	
~~61~~	~~4-chloro-N-(2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}ethyl)-3-(trifluoromethyl)aniline~~	
~~62~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-N-(2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}ethyl)formamide~~	
63	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(3-pyridin-3-ylphenyl)oxy]acetamide	
~~64~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(3-furan-3-ylphenyl)oxy]acetamide~~	
~~65~~	~~(2E)-N-[4-fluoro-3-(trifluoromethyl)phenyl]-3-[3-(1H-tetrazol-1-yl)phenyl]prop-2-enamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~66~~	~~N-[4-fluoro-3-(trifluoromethyl)phenyl]-3-[3-(1H-tetrazol-1-yl)phenyl]propanamide~~	
~~67~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[6-(1H-tetrazol-1-yl)pyrimidin-4-yl]oxy}acetamide~~	
68	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(3,5-dimethylisoxazol-4-yl)phenyl]oxy}acetamide	
69	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(3-quinolin-7-ylphenyl)oxy]acetamide	
~~70~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(3-furan-2-ylphenyl)oxy]acetamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
71	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[3-(1H-tetrazol-1-yl)phenyl]hydrazinecarboxamide	
~~72~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(3-dibenzo[b,d]furan-4-ylphenyl)oxy]acetamide~~	
73	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(4-pyrimidin-5-ylphenyl)oxy]acetamide	
~~74~~	~~N-methyl-N-[4-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
75	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[3-(1H-tetrazol-1-yl)phenyl]methyl}urea	

~~Table 3~~		
Entry	**Name**	**Structure**
~~76~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-N-methyl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide~~	
77	N-[4-fluoro-3-(trifluoromethyl)phenyl]-N~2~-[3-(1H-tetrazol-1-yl)phenyl]glycinamide	
~~78~~	~~N-[4-fluoro-3-(trifluoromethyl)phenyl]-2-{[3-(pyridin-2-ylamino)phenyl]oxy}acetamide~~	
79	N-[2-fluoro-5-(trifluoromethyl)phenyl]-2-[3-(1H-tetrazol-1-yl)phenyl]hydrazinecarboxamide	
80	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(4-pyridin-3-ylphenyl)oxy]acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
81	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(3-pyrimidin-5-ylphenyl)methyl]urea	
82	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(4-pyrimidin-5-ylphenyl)methyl]urea	
83	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(4-pyridin-3-ylphenyl)methyl]urea	
84	[3-(1H-tetrazol-1-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
85	N-[4-fluoro-3-(trifluoromethyl)phenyl]-2-[(4-pyrimidin-5-ylphenyl)oxy]acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
86	N~2~-[4-chloro-3-(trifluoromethyl)phenyl]-N-[3-(1H-tetrazol-1-yl)phenyl]glycinamide	
87	2-{[4-chloro-3-(trifluoromethyl)phenyl]oxy}-N-[3-(1H-tetrazol-1-yl)phenyl]acetamide	
88	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-methyl-4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
89	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[4-(1H-1,2,3-triazol-1-yl)phenyl]oxy}acetamide	
90	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-fluoro-4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
91	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[2-fluoro-4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	
~~92~~	~~N-({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)-3-(1H-tetrazol-1-yl)benzenesulfonamide~~	
~~93~~	~~N-({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)-N-methyl-3-(1H-tetrazol-1-yl)benzenesulfonamide~~	
94	N-[4-fluoro-3-(trifluoromethyl)phenyl]-2-[(4-pyridin-3-ylphenyl)oxy]acetamide	
95	2-({4-[2,4-bis(methyloxy)pyrimidin-5-yl]phenyl}oxy)-N-[4-fluoro-3-(trifluoromethyl)phenyl]acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
96	2-({4-[2,4-bis(methyloxy)pyrimidin-5-yl]phenyl}oxy)-N-[4-chloro-3-(trifluoromethyl)phenyl]acetamide	
97	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[(4-pyridin-4-ylphenyl)oxy]acetamide	
98	N-[4-chloro-3-(trifluoromethyl)phenyl]-N~2~-[3-(methyloxy)-4-(1H-tetrazol-1-yl)phenyl]glycinamide	
99	N-[4-chloro-3-(trifluoromethyl)phenyl]-N~2~-[4-(methyloxy)-3-(1H-tetrazol-1-yl)phenyl]glycinamide	
100	N-[4-chloro-3-(trifluoromethyl)phenyl]-N~2~-[4-(1H-tetrazol-1-yl)phenyl]glycinamide	

~~Table 3~~		
Entry	**Name**	**Structure**
101	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(2,3,5,6-tetrafluoro-4-pyrimidin-5-ylphenyl)hydrazinecarboxamide	
102	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[4-(1H-tetrazol-1-yl)phenyl]methyl}urea	
103	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(4-pyrimidin-5-ylphenyl)hydrazinecarboxamide	
104	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(3-pyridin-3-ylphenyl)methyl]urea	
105	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-methyl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}propanamide	

~~Table 3~~		
Entry	**Name**	**Structure**
106	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[4-(1H-tetrazol-1-yl)phenyl]oxy}propanamide	
107	N-({4-[2,4-bis(methyloxy)pyrimidin-5-yl]phenyl}methyl)-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea	
108	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({3-[2-(methyloxy)pyrimidin-5-yl]phenyl}methyl)urea	
109	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({3-[6-(methyloxy)pyridin-3-yl]phenyl}methyl)urea	
110	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({4-[2-(methyloxy)pyrimidin-5-yl]phenyl}methyl)urea	

~~Table 3~~		
Entry	**Name**	**Structure**
111	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({4-[6-(methyloxy)pyridin-3-yl]phenyl}methyl)urea	
~~112~~	~~1,1-dimethylethyl 2-{4-[(2-{[4-chloro-3-(trifluoromethyl)phenyl]amino}-2-oxoethyl)oxy]phenyl}-1H-indole-1-carboxylate~~	
~~113~~	~~N-({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)-4-(1H-tetrazol-1-yl)benzenesulfonamide~~	
114	N-[4-chloro-3-(trifluoromethyl)phenyl]-N~2~-[3-(2H-tetrazol-5-yl)phenyl]glycinamide	
115	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[2,6-difluoro-4-(1H-tetrazol-1-yl)phenyl]oxy}acetamide	

~~Table 3~~		
Entry	**Name**	**Structure**
116	(3-pyridin-3-ylphenyl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
117	(3-pyrimidin-5-ylphenyl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
118	(3-pyridin-4-ylphenyl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
119	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-[4-(1H-tetrazol-1-yl)phenyl]hydrazinecarboxamide	
120	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(4-pyridin-3-ylphenyl)hydrazinecarboxamide	

~~Table 3~~		
Entry	**Name**	**Structure**
121	(4-pyridin-3-ylphenyl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
122	(4-pyridin-4-ylphenyl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
123	(4-pyrimidin-5-ylphenyl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
124	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(4-pyridin-4-ylphenyl)methyl]urea	
125	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(3-pyridin-3-ylphenyl)hydrazinecarboxamide	

~~Table 3~~		
Entry	**Name**	**Structure**
126	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(3-pyrimidin-5-ylphenyl)hydrazinecarboxamide	
127	N-[5-chloro-2,4-bis(methyloxy)phenyl]-N'-[(4-pyrimidin-5-ylphenyl)methyl]urea	
128	N-[5-chloro-2,4-bis(methyloxy)phenyl]-N'-[(4-pyridin-3-ylphenyl)methyl]urea	
129	(4-pyrimidin-5-ylphenyl)methyl [5-chloro-2,4-bis(methyloxy)phenyl]carbamate	
130	(4-pyridin-3-ylphenyl)methyl [5-chloro-2,4-bis(methyloxy)phenyl]carbamate	

~~Table 3~~		
Entry	**Name**	**Structure**
131	1-(4-pyridin-3-ylphenyl)ethyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
132	1-(4-pyrimidin-5-ylphenyl)ethyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
133	N-[5-chloro-2,4-bis(methyloxy)phenyl]-N'-[(3-pyridin-3-ylphenyl)methyl]urea	
134	N-[5-chloro-2,4-bis(methyloxy)phenyl]-N'-[(3-pyrimidin-5-ylphenyl)methyl]urea	
135	(3-pyridin-3-ylphenyl)methyl [5-chloro-2,4-bis(methyloxy)phenyl]carbamate	

~~Table 3~~		
Entry	**Name**	**Structure**
136	(3-pyrimidin-5-ylphenyl)methyl [5-chloro-2,4-bis(methyloxy)phenyl]carbamate	
~~137~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-2-methyl-2-(3-pyrimidin-5-ylphenyl)hydrazinecarboxamide~~	
138	N-[4-fluoro-3-(trifluoromethyl)phenyl]-N'-[(4-pyridin-3-ylphenyl)methyl]urea	
~~139~~	~~N-{[3-(6-aminopyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
~~140~~	~~N-{[4-(6-aminopyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
~~141~~	~~N-{[3-(2-aminopyrimidin-5-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~142~~	~~N-{[4-(2-aminopyrimidin-5-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
143	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[1-(4-pyridin-3-ylphenyl)ethyl]urea	
144	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[1-(4-pyrimidin-5-ylphenyl)ethyl]urea	
145	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[4-(1H-indol-2-yl)phenyl]oxy}acetamide	
~~146~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(isoquinolin-7-yloxy)acetamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
147	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(4-pyridin-4-ylphenyl)hydrazinecarboxamide	
148	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(3-pyridin-4-ylphenyl)hydrazinecarboxamide	
149	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(3-pyridin-4-ylphenyl)methyl]urea	
150	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(3-quinoxalin-6-ylphenyl)methyl]urea	
~~151~~	~~methyl 3-amino-6-(3-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)pyrazine-2-carboxylate~~	

~~Table 3~~		
Entry	**Name**	**Structure**
152	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(4-quinoxalin-6-ylphenyl)methyl]urea	
~~153~~	~~N-{[3-(2-amino-5-methylpyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
~~154~~	~~methyl 3-amino-6-(4-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)pyrazine-2-carboxylate~~	
155	[3-(1H-tetrazol-1-yl)phenyl]methyl [3-chloro-4-(methyloxy)phenyl]carbamate	
156	N-[3-chloro-4-(methyloxy)phenyl]-N'-{[3-(1H-tetrazol-1-yl)phenyl]methyl}urea	

~~Table 3~~		
Entry	**Name**	**Structure**
157	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[4-(5-hydroxy-1H-tetrazol-1-yl)phenyl]oxy}acetamide	
~~158~~	~~N-{[3-(2-amino-5-chloropyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
~~159~~	~~N-{[4-(2-amino-5-chloropyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
160	N-{[3-(6-chloropyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea	
161	N-{[4-(6-chloropyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea	
~~162~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[4-(pyrimidin-2-yloxy)phenyl]methyl}urea~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~163~~	~~N-({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)-3-(1H-tetrazol-1-yl)benzamide~~	
~~164~~	~~3-amino-6-(3-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)-N-[2-(dimethylamino)ethyl]pyrazine-2-carboxamide~~	
165	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[3-(6-fluoropyridin-3-yl)phenyl]methyl}urea	
166	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({3-[2-(methyloxy)pyridin-3-yl]phenyl}methyl)urea	
167	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[4-(6-fluoropyridin-3-yl)phenyl]methyl}urea	

~~Table 3~~		
Entry	**Name**	**Structure**
168	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({4-[2-(methyloxy)pyridin-3-yl]phenyl}methyl)urea	
169	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[4-(6-methylpyridin-3-yl)phenyl]methyl}urea	
~~170~~	~~N-{[4-(2-amino-5-fluoropyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
171	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[3-(6-methylpyridin-3-yl)phenyl]methyl}urea	
~~172~~	~~N-{[4-(2-aminopyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
~~173~~	~~N-{[3-(2-aminopyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	

~~Table 3~~		
Entry	**Name**	**Structure**
174	[3-(6-methylpyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
~~175~~	~~[3-(2-amino-5-fluoropyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
~~176~~	~~[3-(2-aminopyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
177	(3-pyrazin-2-ylphenyl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
~~178~~	~~N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({3-[6-(hydroxymethyl)pyridin-3-yl]phenyl}methyl)urea~~	
179	N-{[3-(6-acetylpyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea	

~~Table 3~~		
Entry	**Name**	**Structure**
180	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[3-(6-cyanopyridin-3-yl)phenyl]methyl}urea	
~~181~~	~~1,1-dimethylethyl (3S)-3-({[3-amino-6-(3-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)pyrazin-2-yl]carbonyl}amino)piperidine-1-carboxylate~~	
~~182~~	~~3-amino-6-(3-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)-N-[(3S)-piperidin-3-yl]pyrazine-2-carboxamide~~	
~~183~~	~~1,1-dimethylethyl (3S)-3-({[3-amino-6-(4-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)pyrazin-2-yl]carbonyl}amino)piperidine-1-carboxylate~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~184~~	~~3-amino-6-(4-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)-N-[(3S)-piperidin-3-yl]pyrazine-2-carboxamide~~	
185	[3-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
~~186~~	~~N-{[3-(2-amino-5-fluoropyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
~~187~~	~~[6-(1H-tetrazol-1-yl)pyridin-2-yl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
188	[3-(1H-benzimidazol-2-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	

~~Table 3~~		
Entry	**Name**	**Structure**
~~189~~	~~[3-(6-amino-2-methylpyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
190	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({3-[5-(methylthio)pyridin-3-yl]phenyl}methyl)urea	
191	[4-(6-methylpyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
~~192~~	~~[4-(2-amino-5-fluoropyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
~~193~~	~~[4-(2-aminopyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
194	(4-pyrazin-2-ylphenyl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	

~~Table 3~~		
Entry	**Name**	**Structure**
195	[4-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
~~196~~	~~[4-(6-amino-2-methylpyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
~~197~~	~~[3-(1H-tetrazol-1-yl)phenyl]methyl 1,3-benzothiazol-2-ylcarbamate~~	
~~198~~	~~[3-(1H-tetrazol-1-yl)phenyl]methyl (5-bromopyridin-2-yl)carbamate~~	
~~199~~	~~(3-pyridin-3-ylphenyl)methyl (3,5-dimethylphenyl)carbamate~~	
200	(3-pyridin-3-ylphenyl)methyl [5-chloro-2-(methyloxy)phenyl]carbamate	

~~Table 3~~		
Entry	**Name**	**Structure**
201	[4-(1H-tetrazol-1-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
202	(3-pyrimidin-5-ylphenyl)methyl [5-chloro-2-(methyloxy)phenyl]carbamate	
~~203~~	~~(4-pyrimidin-5-ylphenyl)methyl (3,4-dimethylphenyl)carbamate~~	
~~204~~	~~(3-pyridin-3-ylphenyl)methyl (3,4-dimethylphenyl)carbamate~~	
~~205~~	~~1,1-dimethylethyl 3-({[3-amino-6-(3-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)pyrazin-2-yl]carbonyl}amino)piperidine-1-carboxylate~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~206~~	~~1,1-dimethylethyl 3-({[3-amino-6-(4-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)pyrazin-2-yl]carbonyl}amino)piperidine-1-carboxylate~~	
~~207~~	~~3-amino-6-(3-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)-N-piperidin-3-ylpyrazine-2-carboxamide~~	
~~208~~	~~3-amino-6-(4-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)-N-piperidin-3-ylpyrazine-2-carboxamide~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~209~~	~~1,1-dimethylethyl 4-{[3-amino-6-(3-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)pyrazin-2-yl]carbonyl}piperazine-1-carboxylate~~	
~~210~~	~~1,1-dimethylethyl 4-{[3-amino-6-(4-{[({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)amino]methyl}phenyl)pyrazin-2-yl]carbonyl}piperazine-1-carboxylate~~	
~~211~~	~~N-({3-[5-amino-6-(piperazin-1-ylcarbonyl)pyrazin-2-yl]phenyl}methyl)-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	

~~Table 3~~		
Entry	**Name**	**Structure**
~~212~~	~~N-({4-[5-amino-6-(piperazin-1-ylcarbonyl)pyrazin-2-yl]phenyl}methyl)-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea~~	
213	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[3-(1H-pyrazol-4-yl)phenyl]methyl}urea	
214	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[4-(1H-pyrazol-4-yl)phenyl]methyl}urea	
215	[3-(2-piperazin-1-ylpyrimidin-5-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	

~~Table 3~~		
Entry	**Name**	**Structure**
216	[4-(2-piperazin-1-ylpyrimidin-5-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
217	N-{[3-(2-chloropyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea	
218	N-{[4-(2-chloropyridin-3-yl)phenyl]methyl}-N'-[4-chloro-3-(trifluoromethyl)phenyl]urea	
219	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[3-(2-fluoropyridin-3-yl)phenyl]methyl}urea	
220	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-{[4-(2-fluoropyridin-3-yl)phenyl]methyl}urea	

~~Table 3~~		
Entry	**Name**	**Structure**
221	[3-(1H-tetrazol-1-yl)phenyl]methyl [3-(trifluoromethyl)phenyl]carbamate	
~~222~~	~~[3-(1H-tetrazol-1-yl)phenyl]methyl [6-(trifluoromethyl)pyridin-2-yl]carbamate~~	
~~223~~	~~[3-(1H-tetrazol-1-yl)phenyl]methyl [4-(trifluoromethyl)pyridin-2-yl]carbamate~~	
224	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-({3-[5-(methylthio)pyridin-2-yl]phenyl}methyl)urea	
225	[3-(2,6-dimethylpyridin-3-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	

~~Table 3~~		
Entry	**Name**	**Structure**
226	{3-[5-(methyloxy)pyridin-3-yl]phenyl}methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
~~227~~	~~2,3'-bipyridin-6-ylmethyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
~~228~~	~~(6-pyrimidin-5-ylpyridin-2-yl)methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate~~	
229	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(3-isoquinolin-4-ylphenyl)methyl]urea	
230	N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[(4-isoquinolin-4-ylphenyl)methyl]urea	

~~Table 3~~		
Entry	**Name**	**Structure**
~~231~~	~~[6-(1H-tetrazol-1-yl)pyridin-2-yl]methyl [4-(trifluoromethyl)pyridin-2-yl]carbamate~~	
232	[3-(1H-pyrazol-4-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	
233	[4-(1H-pyrazol-4-yl)phenyl]methyl [4-chloro-3-(trifluoromethyl)phenyl]carbamate	

28. (previously presented) A pharmaceutical composition comprising the compound according to claim 1 and a pharmaceutically acceptable carrier.

29. (cancelled)

30. (withdrawn from consideration, currently amended) A method for modulating the *in-vivo* activity of a kinase, the method comprising administering to a subject an effective amount of the compound according to claim 1. ~~claim 1 or a compound selected from N-naphthalen-1-yl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(phenyloxy)phenyl] 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(3,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}~~

~~acetamide, N-(2,3-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(3,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,6-dimethyl-phenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl] oxy}-N-(2,4,6-trimethylphenyl)acetamide, N-(2-ethylphenyl)-2-{[3-(1H-tetrazol-1-yl)-phenyl]oxy} acetamide, N-(4-ethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,6-diethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[2-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2-(ethyloxy) phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[3-(ethyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2,4-bis(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-[4-(dimethylamino)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(2,3-dichlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(4-chloro-3-methylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(4-bromophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(2-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(4-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-N-[2-(trifluoro-methyl)phenyl] acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-N-[3-(trifluoromethyl) phenyl] acetamide, methyl 4-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoate, ethyl 4-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoate, 3-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoic acid, N-[3-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2-chloro-5-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(4H-1,2,4-triazol-4-yl)phenyl]oxy} acetamide, N-(4-chlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl] oxy} acetamide, N-(4-aminophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, and N-(4-acetylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide.~~

31. (withdrawn from consideration) The method according to claim 30, wherein the kinase is c-Kit.

32. (withdrawn from consideration) The method according to claim 31, wherein modulating the *in vivo* activity of c-Kit comprises inhibition of c-Kit.

33. (withdrawn from consideration, currently amended) A method of treating rheumatoid arthritis, graft-host diseases, multiple sclerosis, psoriasis; artheroscrosis, myocardioinfarction, ischemia, stroke, restenosis; interbowel diseases, osteoarthritus, macular degeneration, or diabetic retinopathy, ~~diseases or disorders associated with uncontrolled, abnormal, and/or unwanted cellular activities,~~ the method comprising administering, to a mammal in need thereof, a therapeutically effective amount of the compound or the pharmaceutical composition as described in claim 1 ~~or a compound, or a pharmaceutical composition comprising said compound, selected from N-naphthalen-1-yl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-[4-(phenyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(3,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(2,3-dimethyl-phenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(2,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(2,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(3,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(2,6-dimethyl-phenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-N-(2,4,6-trimethylphenyl)-acetamide, N-(2-ethyl-phenyl)-2-{[3-(1H-tetrazol-1-yl)-phenyl]oxy}-acetamide, N-(4-ethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(2,6-diethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-[2-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-[2-(ethyloxy)-phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[3-(ethyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-[2,4-bis(methyl-oxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-[4-(dimethylamino)-phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(2,3-dichlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(4-chloro-3-methylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(4-bromophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(2-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, N-(4-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-N-[2-(trifluoro-methyl)phenyl]-acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}-N-[3-(trifluoromethyl)-phenyl]-acetamide, methyl-4-[({[3-(1H-tetrazol-1-~~

~~yl)phenyl]oxy}acetyl)amino] benzoate, ethyl 4-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoate, 3-[({[3-(1H-tetrazol-1-yl)phenyl]oxy} acetyl) amino] benzoic acid, N-[3-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2-chloro-5-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(4H-1,2,4-triazol-4-yl)phenyl]oxy} acetamide, N-(4-chlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]-oxy} acetamide, N-(4-aminophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, and N-(4-acetylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide~~.

34. (withdrawn from consideration, currently amended) A method of screening for modulators of c-Kit, the method comprising combining the compound according to claim 1 ~~or a compound selected from N-naphthalen-1-yl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(phenyloxy)phenyl] . 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(3,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,3-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(3,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,6-dimethyl-phenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]- oxy} N-(2,4,6-trimethylphenyl)acetamide, N-(2-ethylphenyl)-2-{[3-(1H-tetrazol-1-yl)- phenyl]oxy} acetamide, N-(4-ethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,6-diethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[2-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2-(ethyloxy)-phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[3-(ethyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2,4-bis(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(dimethylamino)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(2,3-dichlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(4-chloro-3-methylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(4-bromophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(2-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(4-fluorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, 2-{[3-(1H-~~

~~tetrazol-1-yl)phenyl]oxy} N-[2-(trifluoro-methyl)phenyl] acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} N-[3-(trifluoromethyl) phenyl] acetamide, methyl 4-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoate, ethyl 4-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoate, 3-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoic acid, N-[3-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2-chloro-5-(trifluoromethyl)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-chloro-3-(trifluoromethyl)phenyl]-2-{[3-(4H-1,2,4-triazol-4-yl)phenyl]oxy} acetamide, N-(4-chlorophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl] oxy} acetamide, N-(4-aminophenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, and N-(4-acetylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide,~~ and at least one candidate agent and determining the effect of the candidate agent on c-Kit activity.

35. (withdrawn from consideration, currently amended) A method of inhibiting proliferative activity in a cell, the method comprising administering an effective amount of a composition comprising the compound according to claim 1 ~~or a compound selected from N-naphthalen-1-yl-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(phenyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(3,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,3-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,4-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(3,5-dimethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,6-dimethyl-phenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl] oxy}-N-(2,4,6-trimethylphenyl)acetamide, N-(2-ethylphenyl)-2-{[3-(1H-tetrazol-1-yl)-phenyl]oxy} acetamide, N-(4-ethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(2,6-diethylphenyl)-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[2-(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2-(ethyloxy) phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-[3-(ethyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2,4-bis(methyloxy)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(dimethylamino)phenyl]-2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(2,3-~~

~~dichlorophenyl) 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(4-chloro-3-methylphenyl) 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(4-bromophenyl) 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy}acetamide, N-(2-fluorophenyl) 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-(4-fluorophenyl) 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} N-[2-(trifluoro-methyl)phenyl] acetamide, 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} N-[3-(trifluoromethyl) phenyl] acetamide, methyl 4-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoate, ethyl 4-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoate, 3-[({[3-(1H-tetrazol-1-yl)phenyl]oxy}acetyl)amino] benzoic acid, N-[3-(methyloxy)phenyl] 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-(methyloxy)phenyl] 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[2-chloro-5-(trifluoromethyl)phenyl] 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, N-[4-chloro-3-(trifluoromethyl)phenyl] 2-{[3-(4H-1,2,4-triazol-4-yl)phenyl]oxy} acetamide, N-(4-chlorophenyl) 2-{[3-(1H-tetrazol-1-yl)phenyl] oxy} acetamide, N-(4-aminophenyl) 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide, and N-(4-acetylphenyl) 2-{[3-(1H-tetrazol-1-yl)phenyl]oxy} acetamide,~~ to a cell or a plurality of cells.